

Dräger UCF® 6000 Thermal Imaging Cameras

Easy to use and with one-hand controls, this camera delivers excellent image quality even under the most extreme conditions. The user-friendly thermal imaging camera Dräger UCF® 6000 is characterized by ease of use and essential, innovative functions.



Benefits

Safely See More

Thermal imaging cameras by Dräger are valuable tools for lifesaving orientation when fire, smoke, and darkness make navigation difficult. Maintain your orientation and see where you are going as well as for finding persons or hotspots. Search and rescue will be significantly easier and safer in the future with the Dräger UCF 6000. Based on the needs and requirements of professional search and rescue teams as well as firefighters, it was possible to optimize image quality, operation, and ruggedness yet again. The Dräger UCF 6000 is the result, offering new innovative functions while being very easy to use.

Extremely Robust

This camera is reliable even in the roughest and toughest environments. Equipped with an almost indestructible casing, the Dräger UCF 6000 is heat-resistant and withstands usage-specific mechanical stresses with ease. Due to their high protection class of IP 67, Dräger UCF 6000 cameras are resistant to typical conditions encountered during an operation such as water and dust. A very sturdy attachable "crawling plate" allows the user to brace himself or herself on the ground without letting go of the camera.

Extended Functionality

Optimized image processing provides a quicker overview in just seconds. The Dräger UCF 6000 even makes it possible to "see around corners" if the equipment limits the freedom of movement or the field of vision for example. The "snapshot"-function is used to provide a temporary freeze-frame of the thermal image, which can then be viewed on the display. This allows personnel to examine and check out even difficult to access areas quickly and safely. The integrated laser pointer significantly simplifies pointing out the position of hazards – such as hotspots – to other team members and to clearly define the path of attack. The Dräger UCF 6000 always offers a high temperature resolution – even in hot situations. This makes it possible to detect cooler objects such as people even in the vicinity of a fire with maximum resolution.

Comfortable One-Hand Operation

Using the Dräger UCF 6000 means one hand is always free: an invaluable plus with added freedom of movement for the user. The compact design and well-balanced low weight of only 1.4 kg make the camera easy to operate with just one hand. Its intuitive use allows for the reliable and safe operation of the camera even in difficult and stressful situations. A very sturdy attachable "crawling plate" permits the user to brace himself or herself on the ground without letting go of the camera. This as well as various carrying options offer optimal carrying comfort.

Innovative Battery Management System

Modern lithium-ion battery technology yields operating times of typically four hours and provides users with the ease of mind needed during long runs.

Benefits

Standard USB interface

The Dräger UCF 6000 is supplied with USB 2.0 interface by default, which makes it possible to configure the camera (e.g. setting an individual start image) and transfer the thermal image directly to a PC.

Accessories

D-13071-2010



Retractable lanyard

For fixation on the breathing apparatus.


D-13064-2010



Battery charger

For simultaneously charging the battery of the camera and a separate battery.

Accessories



D-13057-2010

Neck Strap

For carrying during duration.



D-10633-2011

Transport case

Robust plastic-case, padded inside



D-8596-2011

Vehicle installation kit

Consists of bracket and 12 – 30 V-connection cable

Related Products



D-13225-2/010

Dräger UCF® 7000

Easy to use with one hand only. See more and make better decisions with optimal display options provided by the Dräger UCF® 7000 thermal imaging camera. The camera is intrinsically safe (ATEX zone 1) and offers the maximum level of safety and reliability in potentially explosive atmospheres.



D-5990-2/014

Dräger UCF® 8000

The robust thermal imaging camera Dräger UCF® 8000 delivers first-rate image quality and detailed precision. The camera is intrinsically safe and approved for use in potentially explosive atmospheres including zone 1 according to ATEX.



D-13263-2/010

Dräger UCF® 9000

Always remain focused: The thermal imaging camera Dräger UCF 9000 is thermal imaging and digital camera in one. It ensures you are well equipped even for complex tasks – from fire fighting and hazardous substance operations in Ex zone 1 to the monitoring and documentation of training.

Technical Data

Dräger UCF® 6000

Dimensions of camera (B x H x T)	125 x 280 x 110 mm
Weight	1,4 kg incl. battery
Display	
Technology	Liquid cristal display (LCD)
Size (diagonal)	9 cm (3.5")
Housing	
Protection cover	Rubber material EPDM
Carrying loops	High-temperature resistant material
Housing material	High-temperature resistant plastic
Protection class	IP67
Infrared-specifications	
Type of sensor	a-Si Microbolometer Array
Resolution	160 x 120 Pixel
IR spectral	7 to 14 µm
Temperature sensitivity	typically 0.035°C
Picture frequency	50 Hz
Optics	
Material	Germanium
Focus	From 1 m to infinity
Field of view	Horizontal: 47° / Vertical: 32° / Diagonal 62°
Operation	
Operation time (at 23°C) with battery	typically 4 hours
Operation time (at 23°C) with alkaline power supply	typically 2 hours
Temperature measurement	Digital temperature display: -40°C ... 1,000°C
Operating temperature	-40°C ... 85°C
Battery technology	Rechargeable li-ion batteries
Battery display	Precise 4-level battery indicator

Ordering Information

Dräger UCF® 6000

Dräger UCF® 6000 (50 Hz)	83 21 127
Accessories	
Transport case	83 21 099
Neck strap	83 23 031
Retractable lanyard	83 23 032
Hand support loop	83 23 033
Lithium-Ion battery	83 23 075
Battery charger	83 21 247
Power supply for charger	83 16 994
Truck charging kit (bracket and 12–30 V-cable)	83 21 110
Suck-Tripod, e.g. to mount on vehicle roof	83 23 070
Tripod	83 21 254
12 V-adapter for operations with tripod	83 21 251
12 V-power supply for operations with tripod	83 16 994

Ordering Information

Included in scope of delivery

Thermal Imaging Camera with integrated laser pointer and "snapshot"-function, 1 Li-Ion battery, 1 charger, USB-cable, attachable crawling plate, PC-software, instructions for use and brief instruction.

Notes

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Singapore Pte. Ltd.
25 International Business Park
#04-20/21 German Centre
Singapore 609916
Tel +65 6308 9400
Fax +65 6308 9401
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L.
59 East Street, Nuevo Paitilla
House 30, San Francisco Town
Panama City, Panama
Tel +507 377 9100
Fax +507 377 9130
servicioalcliente@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

